



C0133M - Lincat
 Convector Manual+
 Electric Counter-top
 Convection Oven - W 610
 mm - D 750 mm - 3.0 kW

Able to roast, braise, bake and reheat, a C0133M Convector convection oven is a powerful addition to any commercial kitchen.

- ✓ 3 x GN2/3 capacity
- ✓ Easy-to-use knob-driven control, and electronic fan control
- ✓ Mechanical temperature control from 60° to 260° C
- ✓ Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- ✓ Two fan speeds - standard for general use and slow for delicate items
- ✓ 120 minute count down timer with electronically-controlled buzzer
- ✓ Oven lamps flash when cook cycle has finished - see when your food is done even in the busiest kitchen

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	3.0
Range	Convector	Temperature Range °C	60-260
Series	Manual+	IP Rating	IP23
Power Type	Electric	Controls Position	Right hand side
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No	Timer Range mins	1-120
UK Warranty	2 Years Parts and Labour Warranty	Oven Rating kW	2.8
Export Warranty	Contact your local dealer		
GTIN	5056105118244		

Key Specifications

Stackable	Yes (with optional kit)
Feet Height/Type	55mm/adjustable
Continuous Plug-In Door Seal	Yes
Removable Inner Door Glass	Yes
Handle Type	Grab
Vented Door	Yes
Reversible Door	No
Door Type	Drop down
Phased Cooking	No
Shelf Timer(s) (Number)	No
Grill Element/Mode	No
Core Temp Probe	No
Steam Injection	No
Fan(s) Speed	2
Fan(s) Type	Bi-Directional
Number of Fan(s)	1
Euronorm Compatible	No
Sheet Pan Compatible	Yes
Removeable Shelf Guides	Yes
Manual Mode	Yes
Programmable	No
Timer Type	Mechanical
Number of Shelves included	3
Number of Shelf Positions	3
Type of Lighting	Halogen Bulb
Construction/Finish	430 S/S cavity
GN Compatible	Yes

Capacity

Gastronorm Capacity	3 x GN2/3
Shelf Spacing mm	80
Sheet Pan Capacity	3 x 460 mm x 330 mm
Capacity Litres	53.0

Weights and Dimensions

Unit Height (External) mm	645
Unit Width (External) mm	610
Unit Depth (External) mm	750
Height (Internal) mm	308
Width (Internal) mm	490
Depth (Internal) mm	370
Shelf Dimensions Width mm	460
Shelf Dimensions Depth mm	325
Net Weight Kg	61.2

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	3,000
Single Phase Amps	13.0
Single Phase Voltage	230
USB Port	No




Shipping

Packed Weight Kg	71.2
Packed Height cm	81.5
Packed Width cm	70
Packed Depth cm	95

Available Accessories

CO100/FS	Lincat Convector Floor Stand for CO133M/CO133T Convection Ovens - with 4 Runners - W 610 mm
CO100/LFSK	Lincat Convector Low Floor Stand and Stacking Kit for CO133M/CO133T Convection Ovens - with 1 Runner - W 610 mm

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm