

HOSPITALITY
CARE HOMES
FOOD INDUSTRY
HEALTHCARE
LAUNDRY
LEISURE
AGRICULTURE

TRICHEM SCOTLAND LTD
Unit 36E Inchmuir Road
Whitehill Industrial Estate
BATHGATE EHAS 2EP
T: 01506 634487
F: 01506 634488
www.trichemscotland.co.uk

SECTION 1: Identification of the substance / mixture and of the company undertaking

1.1. Product identifier

Trade name :8AG TRICHOL GEL Date of original: 20/03/2020

Product code :5005 Revision No.: 2

Product form :Mixture Revision date: 11/01/2021

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category :Professional use

Industrial/Professional use spec. :For professional use only Use of substance/mixture :Alcohol based hand rub

1.2.2. Uses advised against No additional information available

1.3 Details of the supplier of the safety data sheet

Trichem Scotland Ltd 36E Inchmuir Road, Whitehill Ind. Estate, Bathgate, EH48 2EP

t: 01506 634477 f: 01506 634488 e: sales@trichemscotland.co.uk

1.4. Emergency telephone number

Emergency number :Mon - Fri 9:00am - 5:00pm 01506 634477

SECTION 2: Hazards identification

2.1. Classification of the substance of mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye irritant 2 :H319 Flam. Liq. 2 :H225

Full text of H-phrases :see section 16

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS

Hazard statements (CLP) :H319 - Causes eye irritation.

:H225 - Flammable liquid & vapor

Precautionary statements

(CLP)

Single word (CLP)

:P102 - Keep out of reach of children

:P261 - Avoid breathing vapours

:P301 + P313 - IF SWALLOWED Get medical advice/attention

:P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

:Remove contact lenses, if present and easy to do. Continue rinsing. :P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Hazard ingredients	CAS number	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	64-17-5	70-90	Flam. Liq. 2 H225, Eye Irrit. 2 H319
Hydrogen Peroxide	7722-84-1	<1	H318 - Eye Dam, H302 – Harmful, H272 - Oxidizer

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :Get medical advice/attention if you feel unwell.

First-aid measures after inhalation :Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact :N/A

First-aid measures after eye contact :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If eye irritation persists. Get medical

advice/attention.

First-aid measures after ingestion :Do not induce vomiting. Give plenty of water to drink. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation :May cause drowsiness and dizziness.

Symptoms/injuries after skin contact :No specific symptoms known, but prolonged or excessively repeated skin contact

could lead to removal of natural oils from skin.

Symptoms/injuries after eye contact : May cause temporary eye irritation.

Symptoms/injuries after ingestion :May cause light irritation of the linings of the mouth, throat and gastrointestinal tract

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Special hazards arising from the substance or mixture

May explode when heated or exposed to naked flames or sparks.

5.3. Advice for firefighters

Keep containers cool by spraying with water to reduce explosion risks. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures :Avoid contact with eyes. Avoid inhalation of vapours. No smoking.

6.1.2. For emergency responders

Protective equipment :Avoid contact with eyes. Avoid inhalation of vapours. No smoking.

6.2. Environmental precautions

Avoid release to the environment

6.3. Methods and materials for containment and cleaning up

For containment :Collect spillage.

Methods for cleaning up :Soak up any spills with inert solids, such as clay or diatomaceous earth as soon as

possible.

6.4. Reference to other sections

For further information refer to section 8. "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling & storage

7.1. Precautions for safe handling

Precautions for safe handling :Avoid contact with eyes.

Hygiene measures :Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures :Does not require any specific or particular technical measures.

Storage conditions :Keep container closed when not in use. Keep away from sources of ignition.

Incompatible products :Oxidising agents. Strong acids. Strong bases.

Special rules on packaging :Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information

available

8.2. Exposure controls

Materials for protective clothing :Not required for normal conditions of use.

Hand protection :Not required.

Eye protection :Not required if care is taken not to splash in eyes when pouring or using.

Skin and body protection :Not required for normal conditions of use.

Respiratory protection :Not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Decomposition temperature Physical state :Gel :No data available Appearance :Gel Flammability (solid, gas) :No data available Colour Vapour pressure :Clear, colourless :No data available Relative vapour density @20°C Odour :Alcoholic :No data available

Odour threshold :No data available Relative density :0.9 pH :7.2 Solubility :Water

pH :7.2 Solubility :Water
Relative evaporation rate :No data available Log pow :No data

Relative evaporation rate :No data available Melting point :<-10°C :No data available Viscosity, kinematic :No data available

Freezing point :No data available Viscosity, dynamic :No data available **Boiling point** :No data available Explosive properties :No data available Flash point :No data available Oxidising properties :No data available Auto-ignition temperature :No data available **Explosive limits** :No data available

9.2. Other properties

No additional information available

SECTION 10. Stability and reactivity	
10.1. Reactivity Highly flammable liquid & vapor	
10.2. Chemical stability	
Stable under normal conditions	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
SECTION 11: Ecological information 11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Ethanol (64-17-5)	
LD50 oral rat	: 10470 mg/kg
LD50 dermal rat	: 15800 mg/kg
LD50 inhalation rat (ml/l)	: 20 mg/l
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation Respiratory or skin sensitisation	: Causes serious eye irritation : Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Ethanol (64-17-5)	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male,
110/122 (Substitution, Stat, animali, male, 30 days)	Cuidolino: EDA ODDTS 970 2100 (00 Doy Oral Toyicity in Padenta)
	Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female,
NOAEL (subchronic, oral, animal/female, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female,
Aspiration hazard SECTION 12: Ecological information	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard SECTION 12: Ecological information	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) :Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment.
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) :Not classified : This product is not considered harmful to aquatic organisms nor to
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) :Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment.
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2	 < 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 other aquatic organisms 1	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 other aquatic organisms 1 EC50 other aquatic organisms 1 EC50 72h algae (1)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 Other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified : Not classified 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 T2h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 T2h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified : Not classified 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 Other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5) Persistence and degradability	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified Readably biodegradable
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 Other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 Other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5) Persistence and degradability Biodegradation 12.3. Bio accumulative potential Ethanol (64-17-5)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified Readably biodegradable 84% (20 d)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 T2h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5) Persistence and degradability Biodegradation 12.3. Bio accumulative potential Ethanol (64-17-5) Partition coefficient n-octanol/water (Log Pow)	 < 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified Readably biodegradable 84% (20 d) -0.31
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 Other aquatic organisms 1 EC50 72h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5) Persistence and degradability Biodegradation 12.3. Bio accumulative potential Ethanol (64-17-5)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified Readably biodegradable 84% (20 d)
Aspiration hazard SECTION 12: Ecological information 12.1. Toxicity Ecology – general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, short-term (chronic) Not rapidly degradable Ethanol (64-17-5) LC50 fish 1 LC50 fish 2 LC50 other aquatic organisms 1 EC50 Daphnia 1 EC50 T2h algae (1) ErC50 (algae) NOEC (chronic) NOEC chronic crustacea Aquatic invertebrates 12.2. Persistence and degradability Ethanol (64-17-5) Persistence and degradability Biodegradation 12.3. Bio accumulative potential Ethanol (64-17-5) Partition coefficient n-octanol/water (Log Pow)	 < 9700 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents): Not classified : This product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment. : Not classified : Not classified : Not classified 14200 mg/l Pimephales promelas (Fat-head Minnow) 13000 mg/l Oncorthynchus mykiss (Rainbow trout) 16000 mg/l Oryzias latipes (Red killfish) 12340 mg/l Daphnia Magna >100 mg/l Leuciscus idus (Golden orfe) 275 mg/l Chlorella vulgaris >100 mg/l Selenastrum capricomutum (48hrs) 9.6 mg/l Test organisms (species): Daphnia magna Duration: (9 d) 9.6 mg/l Daphnia magna (9 d) :Not classified Readably biodegradable 84% (20 d) -0.31

No additional information available

12.4 Mobility in soil

Ethanol (64-17-5)

Ecology – soil Product evaporates when in contact with the air, Soluble in water,

May contaminate water supplies.

12.5. Results of PBT and vPvB assessment

Ethanol (64-17-5) Does not contain any PBT nor vPvB

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Small amounts (less than 5 litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal to an approved waste contractor. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

: 1993

14.2. UN proper shipping name

Proper shipping name (ADR) : ETHANOL GEL SOLUTION
Proper shipping name (IMDG) : ETHANOL GEL SOLUTION
Proper shipping name (IATA) : ETHANOL GEL SOLUTION

14.3. Transport hazard class(es)

ARD

Transport hazard class(es) (ADR) :Class 3: Flammable liquids

IMDG

Transport hazard class(es) (IMDG) :Class 3: Flammable liquids

IATA

Transport hazard class(es) (IATA) :Class 3: Flammable liquids

14.4. Packing group

Packing group (ADR) : 3
Packing group (IMDG) : 3
Packing group (IATA) : II

14.5 Environmental hazards

Dangerous to the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packaging provisions (ADR) : MP19
Portable tang & bulk container instructions (ARD) : T7

Portable tank & bulk container special provisions : TP1, TP8, TP28

(ARD)

Tank code : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage – Operational (ADR) : S2, S20

Hazard identificationnumber (Kemlar No.) : 33

Orange plates 33

Drange plates 33 1993

Tunnel restriction code (ADR) : D/E EAC code : 3TE

Transport by sea

Special provisions (IMDG): 274Limited quantities (IMDG): 11Excepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02

Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28, TP8

EmS-No. (Fire): F-EEmS-No. (Spillage): S-EStowage category (IMDG): B

Air transport

PCD Excepted quantities (IATA) : E2 PCD Limited quantities (IATA) : Y341 PCA Limited quantity max net quantity (IATA) : 11 PCA Packing instructions (IATA) : 353 PCA Max net quantity (IATA) : 51 : 364 CAO packing instructions (IATA) CAO max net quantity (IATA) : 601 Special provisions (IATO) : A3 ERG code (IATA) : 3H

Inland waterway transport

Classification code ADN) : F1

Special provisions (ADN) : 274,601,640C

Limited quantities (ADN)

Excepted quantities (ADN)

Equipment required (ADN)

Ventilation (ADN)

Number of blue cones/lights (ADN)

:11

: E2

: PP, EX, A

: VE01

: 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640C

Limited quantities (RID) : 11

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID) : L1.5BN
Transport category : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance of mixture 15.1.1. EU-Regulation

3(a)	MANO-STER ; Ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F.
3(b)	MANO-STER ; Ethanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10.
40.	MANO-STER ; Ethanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no substances on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WKG) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

BImSchV)

Netherlands

SZW-lijst van kankerverwekkende : Ethanol is listed

stoffen

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

atieve lijst van voor de : Ethanol is listed

Borstvoeding

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen -

Ontwikkeling

: Ethanol is listed

: Ethanol is listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable, as this product is a mixture.

SECTION 16: Other information

The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.

H225 : Highly flammable liquid and vapour H319 : Causes serious eye irritation

H336 : May cause drowsiness or dizziness

Abbreviations and acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate BLV : Biological limit value

Cas-NO. : Chemical Abstract Service number

CLP : Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL : Derived Minimal Effect level
DNEL : Derived-No Effect Level
EC50 : Median effective concentration
EC-No. : European Community number

EN : European Standard

IATA : International Air Transport Association
IMDG : International Maritime Dangerous Goods

LC50 : Median lethal concentration

LD50 : Median lethal dose

LOAEL : Lowest Observed Adverse Effect Level
NOAEC : No-Observed Adverse Effect Concentration

NOAEL : No-Observed Adverse Effect Level
NOEC : No-Observed Effect Concentration
OEL : Occupational Exposure Limit
PBT : Persistent Bio accumulative Toxic
PNEC : Predicted No-Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS : Safety Data Sheet

VPvB : Very Persistent and Very Bio accumulative

WGK : Water Hazard Class

Full text of H- and EUH-statements:

Eye Irrit. 2 : Serious eye damage/eye irritation, Category 2

Flam. Liq. 2 : Flammable liquids, Category 2 H225 : Highly flammable liquid and vapour. H319 : Causes serious eye irritation.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.