



C0235M - Lincat
Convector Manual+
Electric Counter-top
Convection Oven - W 810
mm - D 850 mm - 4.8 kW

Able to roast, braise, bake and reheat, a C0235M Convector convection oven is a powerful addition to any commercial kitchen.

- ✓ 3 x GN1/1 capacity
- ✓ Easy-to-use knob-driven control, and electronic fan control
- ✓ Mechanical temperature control from 60° to 260° C
- ✓ Even heat distribution thanks to electronically controlled two-speed, bi-directional fan
- ✓ Two fan speeds - standard for general use and slow for delicate items
- ✓ 120 minute count down timer with electronically-controlled buzzer
- ✓ Oven lamps flash when cook cycle has finished - see when your food is done even in the busiest kitchen

Specifications

Summary

Brand	Lincat
Range	Convector
Series	Manual+
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105118282

Power and Performance

Total Power kW	4.8
Temperature Range °C	60-260
IP Rating	IP23
Controls Position	Right hand side
Temperature Control	Mechanical
Timer Range mins	1-120
Oven Rating kW	4.6

Key Specifications

Stackable	Yes (with optional kit)
Feet Height/Type	55mm/adjustable
Continuous Plug-In Door Seal	Yes
Removable Inner Door Glass	Yes
Handle Type	Grab
Vented Door	Yes
Reversible Door	No
Door Type	Drop down
Phased Cooking	No
Shelf Timer(s) (Number)	No
Grill Element/Mode	No
Core Temp Probe	No
Steam Injection	No
Fan(s) Speed	2
Fan(s) Type	Bi-Directional
Number of Fan(s)	1
Euronorm Compatible	Yes
Sheet Pan Compatible	Yes
Removeable Shelf Guides	Yes
Manual Mode	Yes
Programmable	No
Timer Type	Mechanical
Number of Shelves included	3
Number of Shelf Positions	3
Type of Lighting	Halogen Bulb
Construction/Finish	430 S/S cavity
GN Compatible	Yes

Capacity

Gastronorm Capacity	3 x GN1/1
Euronorm Capacity	3 x 600 mm x 400 mm
Shelf Spacing mm	90
Sheet Pan Capacity	3 x 660 mm x 460 mm
Capacity Litres	96.0

Weights and Dimensions

Unit Height (External) mm	645
Unit Width (External) mm	810
Unit Depth (External) mm	850
Height (Internal) mm	308
Width (Internal) mm	690
Depth (Internal) mm	470
Shelf Dimensions Width mm	660
Shelf Dimensions Depth mm	425
Net Weight Kg	80.6

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	4,800
Single Phase Amps	20.5
Single Phase Voltage	230
Three Phase Amps	L1=6.9; L2=6.9; L3=6.9
Three Phase Voltage	400
USB Port	No




Shipping

Packed Weight Kg	92.7
Packed Height cm	81.5
Packed Width cm	88
Packed Depth cm	100

Available Accessories

CO200/FS	Lincat Convector Floor Stand for CO223M/CO223T/CO235M/CO235T Convection Ovens - with 4 Runners - W 810 mm
CO200/LFSK	Lincat Convector Low Floor Stand and Stacking Kit for CO223M/CO223T/CO235M/CO235T Convection Ovens - with 1 Runner - W 810 mm

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm